



アダプタ

No. 6




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	dφmm	Lmm	HEXmm
02	G ¼	R ¼	10	6	3.0	31	14
04	G ¼	R ¼	13	8	5.5	38	19
06	G ⅜	R ⅜	15	8	7.0	42	22
08	G ½	R ½	18	10	10.0	50	27
12	G ¾	R ¾	20	12	16.0	56	36
16	G 1	R 1	22	12	21.5	60	41
20	G1¼	R1¼	25	14	27.5	69	50
24	G1½	R1½	25	14	33.0	72	60
32	G 2	R 2	30	17	44.0	83	70

No. 7




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	dφmm	Lmm	HEXmm
02	G ¼	Rc ¼	15	11	3.0	26	14
04	G ¼	Rc ¼	17	13	5.5	30	19
06	G ⅜	Rc ⅜	19	15	7.0	34	22
08	G ½	Rc ½	22	18	10.0	40	27
12	G ¾	Rc ¾	25	20	16.0	45	36
16	G 1	Rc 1	27	22	21.5	49	41
20	G1¼	Rc 1¼	30	24	27.5	54	50
24	G1½	Rc 1½	30	24	33.0	54	60
32	G 2	Rc 2	36	28	44.0	64	70

No. 8



呼称	ねじT ₁	ねじT ₂	Amm	dφmm	Lmm	HEXmm
04	G ¼	Rc ¼	17	5.5	34	19
06	G ⅜	Rc ⅜	19	7.0	38	22
08	G ½	Rc ½	22	10.0	43	27
12	G ¾	Rc ¾	25	16.0	49	36
16	G 1	Rc 1	27	21.5	53	41
20	G1¼	Rc 1¼	30	27.5	60	50
24	G1½	Rc 1½	30	33.0	63	60
32	G 2	Rc 2	36	44.0	71	70

No. 9




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	dφmm	Lmm	HEXmm
02	G ⅝	R ⅝	10	6	11	4.0	27	14
04	G ⅝	R ⅝	13	8	13	5.5	34	19
06	G ⅝	R ⅝	15	8	15	7.0	38	22
08	G ⅝	R ⅝	18	10	18	10.0	46	27
12	G ⅝	R ⅝	20	12	20	16.0	52	36
16	G 1	R 1	22	14	22	21.5	58	41
20	G1¼	R1¼	25	17	25	27.5	67	50
24	G1½	R1½	25	20	25	33.0	70	60
32	G 2	R 2	30	22	30	44.0	82	70

※ その他、特殊金具もあります。お問い合わせ下さい。

アダプタ

*印のSUSは受注生産


No. 11



呼称	ねじT	Amm	Bmm	dφmm	Lmm	HEXmm
02	G ⅓	11	6	4.0	28	14
04	G ⅓	13	8	5.5	34	19
06	G ⅓	15	8	7.0	38	22
08	G ⅓	18	10	10.0	46	27
12	G ⅓	20	12	16.0	52	36
16	G 1	22	14	21.5	58	41
20	G 1¼	25	17	27.5	67	50
24	G 1½	25	20	33.0	70	60
32	G 2	30	22	44.0	82	70

*印のSUSは受注生産


No. 13



呼称	ねじT1	ねじT2	Amm	Bmm	Cmm	dφmm	Lmm	HEXmm
02	G ⅓	R ⅓	10	6	13.0	4.0	29.0	14
04	G ⅓	R ⅓	13	8	16.0	5.5	37.0	19
06	G ⅓	R ⅓	15	8	17.5	7.0	40.5	22
08	G ⅓	R ⅓	18	10	20.0	10.0	48.0	27
12	G ⅓	R ⅓	20	12	21.5	16.0	53.5	36
16	G 1	R 1	22	14	22.5	21.5	58.5	41
20	G 1¼	R 1¼	25	17	27.0	27.5	69.0	50
24	G 1½	R 1½	25	20	27.0	33.0	72.0	60
32	G 2	R 2	30	22	30.0	44.0	82.0	70

*印のSUSは受注生産


No. 14



呼称	ねじT	Amm	Bmm	dφmm	Lmm	HEXmm
02	G ⅓	13.0	6	4.0	32	14
04	G ⅓	16.0	8	5.5	40	19
06	G ⅓	17.5	8	7.0	43	22
08	G ⅓	20.0	10	10.0	50	27
12	G ⅓	21.5	12	16.0	55	36
16	G 1	22.5	12	21.5	57	41
20	G 1¼	27.0	14	27.5	68	50
24	G 1½	27.0	14	33.0	68	60
32	G 2	30.0	17	44.0	77	70

*印のSUSは受注生産

No. 15




呼称	ねじT1	ねじT2	Amm	Bmm	dφmm	Lmm	HEXmm
02	G ⅓	Rc ⅓	15	13.0	3.0	28.0	14
04	G ⅓	Rc ⅓	17	16.0	5.5	33.0	19
06	G ⅓	Rc ⅓	19	17.5	7.0	36.5	22
08	G ⅓	Rc ⅓	22	20.0	10.0	42.0	27
12	G ⅓	Rc ⅓	25	21.5	16.0	46.5	36
16	G 1	Rc 1	27	22.5	21.5	49.5	41
20	G 1¼	Rc 1¼	30	27.0	27.5	57.0	50
24	G 1½	Rc 1½	30	27.0	33.0	57.0	60
32	G 2	Rc 2	36	30.0	44.0	66.0	70

※ その他、特殊金具もあります。お問い合わせ下さい。


アダプタ

No. 33 90°




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	dφmm	Emm
02	G ⅜	R ⅜	20.0	13.0	21.0	14.0	4.0	14
04	G ¼	R ¼	24.0	16.0	25.0	17.0	5.5	17
06	G ⅝	R ⅝	27.5	17.5	30.0	20.0	7.0	19
08	G ½	R ½	32.0	20.0	36.0	24.0	10.0	24
12	G ¾	R ¾	36.5	21.5	43.0	28.0	16.0	30
16	G 1	R 1	40.5	22.5	50.0	32.0	21.5	36
20	G 1¼	R 1¼	49.5	27.0	57.5	35.0	27.5	45
24	G 1½	R 1½	52.0	27.0	63.0	38.0	33.0	50
32	G 2	R 2	61.5	30.0	73.5	42.0	44.0	63

No. 34 90°




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	dφmm	Emm
02	G ⅜	R ⅜	18.0	11	21.0	14	4.0	14
04	G ¼	R ¼	21.0	13	25.0	17	5.5	17
06	G ⅝	R ⅝	25.0	15	30.0	20	7.0	19
08	G ½	R ½	30.0	18	36.0	24	10.0	24
12	G ¾	R ¾	35.0	20	43.0	28	16.0	30
16	G 1	R 1	40.0	22	50.0	32	21.5	36
20	G 1¼	R 1¼	47.5	25	57.5	35	27.5	45
24	G 1½	R 1½	50.0	25	63.0	38	33.0	50
32	G 2	R 2	61.5	30	73.5	42	44.0	63

No. 35 45°



呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	dφmm	Emm
02	G ⅜	R ⅜	19.0	13.0	18	12	4.0	14
04	G ¼	R ¼	22.0	16.0	19	13	5.5	17
06	G ⅝	R ⅝	24.5	17.5	22	15	7.0	19
08	G ½	R ½	28.5	20.0	27	18	10.0	24
12	G ¾	R ¾	31.5	21.5	30	20	16.0	30
16	G 1	R 1	34.0	22.5	34	22	21.5	36
20	G 1¼	R 1¼	41.0	27.0	40	25	27.5	45
24	G 1½	R 1½	43.0	27.0	41	25	33.0	50
32	G 2	R 2	50.0	30.0	50	30	44.0	63

No. 36 45°




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	dφmm	Emm
02	G ⅜	R ⅜	17	11	18	12	4.0	14
04	G ¼	R ¼	19	13	19	13	5.5	17
06	G ⅝	R ⅝	22	15	22	15	7.0	19
08	G ½	R ½	26	18	27	18	10.0	24
12	G ¾	R ¾	30	20	30	20	16.0	30
16	G 1	R 1	34	22	34	22	21.5	36
20	G 1¼	R 1¼	41	25	40	25	27.5	45
24	G 1½	R 1½	43	25	41	25	33.0	50
32	G 2	R 2	50	30	50	30	44.0	63

※ その他、特殊金具もあります。お問い合わせ下さい。


異径アダプタ (No. 9 No. 13)

No. 9 (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	d ₁ φmm	d ₂ φmm	Lmm	HEXmm
02-04	G ¼	R ¼	13	8	11	4.0	5.5	32	14
04-06	G ¼	R ⅜	15	8	13	5.5	7.0	36	19
06-08	G ⅜	R ½	18	10	15	7.0	10.0	43	22
08-12	G ½	R ¾	20	10	18	10.0	16.0	48	27
12-16	G ¾	R 1	22	12	20	16.0	21.5	54	36
16-20	G 1	R 1¼	25	14	22	21.5	27.5	61	46
20-24	G 1¼	R 1½	25	14	24	28.0	28.0	63	50
24-32	G 1½	R 2	30	14	24	33.0	33.0	68	60

No. 9 (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	d ₁ φmm	d ₂ φmm	Lmm	HEXmm
04-02	G ¼	R ¼	10	8	13	5.5	4.0	31	19
06-04	G ⅜	R ¼	13	8	15	7.0	5.5	36	22
08-06	G ½	R ⅜	15	10	18	10.0	7.0	43	27
12-08	G ¾	R ½	18	12	20	16.0	10.0	50	32
16-12	G 1	R ¾	20	12	22	21.5	16.0	54	36
20-16	G 1¼	R 1	22	14	24	27.5	21.5	60	46
24-20	G 1½	R 1¼	25	14	24	28.5	28.0	63	50
32-24	G 2	R 1½	25	14	28	33.0	33.0	67	60

No. 13 (異径)



呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	d ₁ φmm	d ₂ φmm	Lmm	HEXmm
02-04	G ¼	R ¼	13	8	12.0	4.0	5.5	33.0	14
04-06	G ¼	R ⅜	15	8	16.0	5.5	7.0	39.0	19
06-08	G ⅜	R ½	18	10	17.5	7.0	10.0	45.5	22
08-12	G ½	R ¾	20	10	20.0	10.0	16.0	50.0	27
12-16	G ¾	R 1	22	12	21.5	16.0	21.5	55.5	36
16-20	G 1	R 1¼	25	14	22.5	21.5	27.5	61.5	46
20-24	G 1¼	R 1½	25	14	27.0	28.0	28.0	66.0	50
24-32	G 1½	R 2	30	14	27.0	33.0	33.0	71.0	60

No. 13 (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	d ₁ φmm	d ₂ φmm	Lmm	HEXmm
04-02	G ¼	R ¼	10	8	16.0	5.5	4.0	34.0	19
06-04	G ⅜	R ¼	13	8	17.5	7.0	5.5	38.5	22
08-06	G ½	R ⅜	15	10	20.0	10.0	7.0	45.0	27
12-08	G ¾	R ½	18	12	21.5	16.0	10.0	51.5	32
16-12	G 1	R ¾	20	12	22.5	21.5	16.0	54.5	36
20-16	G 1¼	R 1	22	14	27.0	27.5	21.5	63.0	46
24-20	G 1½	R 1¼	25	14	27.0	28.0	28.0	66.0	50
32-24	G 2	R 1½	25	14	30.0	33.0	33.0	69.0	60

※ その他、2段異径もあります。お問い合わせ下さい。


異径アダプタ 90° (No. 33 No. 34)

No. 33 90° (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
02-04 G 1/8 R 1/4			21.0	13.0	25.0	17	4.0	5.5	14
04-06 G 1/4 R 3/8			26.0	16.0	30.0	20	5.5	7.0	19
06-08 G 3/8 R 1/2			29.5	17.5	36.0	24	7.0	10.0	24
08-12 G 1/2 R 3/4			35.0	20.0	43.0	28	10.0	16.0	30
12-16 G 3/4 R 1			39.5	21.5	50.0	32	16.0	21.5	36
16-20 G 1 R 1 1/4			45.0	22.5	57.5	35	21.5	27.5	45
20-24 G 1 1/4 R 1 1/2			52.0	27.0	63.0	38	27.0	33.0	50
24-32 G 1 1/2 R 2			58.5	27.0	73.5	42	33.0	44.0	63

No. 33 90° (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
04-02 G 1/4 R 1/8			24.0	16.0	22.0	14	5.5	4.0	17
06-04 G 3/8 R 1/4			27.5	17.5	27.0	17	7.0	5.5	19
08-06 G 1/2 R 3/8			32.0	20.0	32.0	20	10.0	7.0	24
12-08 G 3/4 R 1/2			36.5	21.5	39.0	24	16.0	10.0	30
16-12 G 1 R 3/4			40.5	22.5	46.0	28	21.5	16.0	36
20-16 G 1 1/4 R 1			49.5	27.0	57.5	32	27.5	21.5	45
24-20 G 1 1/2 R 1 1/4			52.0	27.0	63.0	35	33.0	27.5	50
32-24 G 2 R 1 1/2			61.5	30.0	73.5	38	44.0	33.0	63

No. 34 90° (異径)



呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
02-04 G 1/8 R 1/4			19.0	11	25.0	17	4.0	5.5	14
04-06 G 1/4 R 3/8			23.0	13	30.0	20	5.5	7.0	19
06-08 G 3/8 R 1/2			27.0	15	36.0	24	7.0	10.0	24
08-12 G 1/2 R 3/4			33.0	18	43.0	28	10.0	16.0	30
12-16 G 3/4 R 1			38.0	20	50.0	32	16.0	21.5	36
16-20 G 1 R 1 1/4			44.5	22	57.5	35	21.5	27.5	45
20-24 G 1 1/4 R 1 1/2			49.0	24	63.0	38	27.0	33.0	50
24-32 G 1 1/2 R 2			55.5	24	73.5	42	33.0	44.0	63


No. 34 90° (異径)



呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
04-02 G 1/4 R 1/8			21.0	13	22.0	14	5.5	4.0	17
06-04 G 3/8 R 1/4			25.0	15	27.0	17	7.0	5.5	19
08-06 G 1/2 R 3/8			30.0	18	32.0	20	10.0	7.0	24
12-08 G 3/4 R 1/2			35.0	20	39.0	24	16.0	10.5	30
16-12 G 1 R 3/4			40.0	22	46.0	28	21.5	16.5	36
20-16 G 1 1/4 R 1			46.5	24	57.5	32	27.5	21.5	45
24-20 G 1 1/2 R 1 1/4			49.0	24	63.0	35	33.0	27.5	50
32-24 G 2 R 1 1/2			59.5	28	73.5	38	44.0	33.0	63


異径アダプタ 45° (No.35 No.36)

No.35 45° (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
02-04	G ½	R ¼	19.0	13.0	19	13	4.0	5.5	14
04-06	G ¼	R ⅜	23.0	16.0	22	15	5.5	7.0	19
06-08	G ⅜	R ½	26.5	17.5	27	18	7.0	10.0	24
08-12	G ½	R ¾	30.0	20.0	30	20	10.0	16.0	30
12-16	G ¾	R 1	33.0	21.5	34	22	16.0	21.5	36
16-20	G 1	R 1¼	41.0	22.5	40	25	21.5	27.5	45
20-24	G 1¼	R 1½	43.0	27.0	41	25	27.5	33.0	50
24-32	G 1½	R 2	50.0	27.0	50	30	33.0	44.0	63

No.35 45° (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
04-02	G ¼	R ¼	22.0	16.0	18	12	5.5	4.0	17
06-04	G ⅜	R ¼	24.5	17.5	20	13	7.0	5.5	19
08-06	G ½	R ⅜	28.0	20.0	24	15	10.0	7.0	24
12-08	G ¾	R ½	31.5	21.5	28	18	16.0	10.0	30
16-12	G 1	R ¾	34.0	22.5	32	20	21.5	16.0	36
20-16	G 1¼	R 1	41.0	27.0	40	22	27.5	21.5	45
24-20	G 1½	R 1¼	43.0	27.0	41	25	33.0	27.5	50
32-24	G 2	R 1½	50.0	30.0	50	25	44.0	33.0	63

No.36 45° (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
02-04	G ½	R ¼	17	11	19	13	4.0	5.5	14
04-06	G ¼	R ⅜	20	13	22	15	5.5	7.0	19
06-08	G ⅜	R ½	24	15	27	18	7.0	10.0	24
08-12	G ½	R ¾	28	18	30	20	10.0	16.0	30
12-16	G ¾	R 1	34	20	34	22	16.0	21.5	36
16-20	G 1	R 1¼	41	22	40	25	21.5	27.5	45
20-24	G 1¼	R 1½	43	24	41	25	27.0	33.0	50
24-32	G 1½	R 2	49	24	50	30	33.0	44.0	63

No.36 45° (異径)




呼称	ねじT ₁	ねじT ₂	Amm	Bmm	Cmm	Dmm	d ₁ φmm	d ₂ φmm	Emm
04-02	G ¼	R ¼	19	13	18	12	5.5	4.0	17
06-04	G ⅜	R ¼	22	15	20	13	7.0	5.5	19
08-06	G ½	R ⅜	26	18	24	15	10.0	7.0	24
12-08	G ¾	R ½	30	20	28	18	16.0	10.0	30
16-12	G 1	R ¾	34	22	32	20	21.5	16.0	36
20-16	G 1¼	R 1	41	24	40	22	27.5	21.5	45
24-20	G 1½	R 1¼	43	24	41	25	33.0	27.5	50
32-24	G 2	R 1½	50	28	50	25	44.0	33.0	63

No. 13型黄銅アダプター




製品名	R	G	L	HEX
13-04B	1/4	1/4	37.0	17
13-06B	3/8	3/8	40.0	19
13-08B	1/2	1/2	47.0	24
13-12B	3/4	3/4	51.0	32
13-16B	1"	1"	56.0	38

No. 09型NPTアダプター



製品名	NPT	G	L	HEX
09-04NPT	1/4	1/4	34.0	19
09-06NPT	3/8	3/8	38.0	22
09-08NPT	1/2	1/2	46.0	27
09-12NPT	3/4	3/4	52.0	36
09-16NPT	1"	1"	56.0	41
09-20NPT	1-1/4	1-1/4	63.0	50
09-24NPT	1-1/2	1-1/2	63.0	60
09-32NPT	2"	2"	75.0	70

No.13型特殊アダプター




材質:SS400 (クロメートメッキ)

製品名	T1	T2	L	θ	HEX
13-04U	R1/4"	7/16-20UNF	35.0	74°	17
13-0405U	R1/4"	1/2-20UNF	36.0	74°	19
13-06U	R3/8"	9/16-18UNF	38.0	74°	19
13-0607U	R3/8"	5/8-18UNF	38.0	74°	22
13-08U	R1/2"	3/4-16UNF	45.0	74°	27
13-0810U	R1/2"	7/8-14UNF	48.0	74°	27
13-12U	R3/4"	1,1/16-12UNF	55.0	74°	36
13-16U	R1"	1,5/16-12UNF	58.0	74°	41
13-04M	R1/4"	M14P1.5	38.0	60°	19
13-06M	R3/8"	M18P1.5	41.0	60°	22
13-08M	R1/2"	M22P1.5	49.0	60°	27
13-0810M	R1/2"	M24P1.5	48.0	60°	27
13-1210M	R3/4"	M24P1.5	50.0	60°	36
13-12M	R3/4"	M30P1.5	62.5	60°	36
13-16M	R1"	M33P1.5	65.0	60°	41
13-04NPT	NPT1/4"	G1/4"	37.0	60°	19
13-06NPT	NPT3/8"	G3/8"	40.0	60°	22
13-08NPT	NPT1/2"	G1/2"	48.0	60°	27
13-12NPT	NPT3/4"	G3/4"	53.0	60°	36
13-16NPT	NPT1"	G1"	58.0	60°	41
13-20NPT	NPT1-1/4"	G1-1/4"	69.0	60°	50
13-24NPT	NPT1-1/2"	G1-1/2"	72.0	60°	60
13-32NPT	NPT2"	G2"	82.0	60°	70

品質・性能改善の為、予告なく寸法変更している場合があります。

No.33型特殊アダプター




材質:SS400 (クロメートメッキ)

製品名	T1	T2	A	B	θ	H
33-04U	R1/4"	7/16-20UNF	25	22	74°	16
33-0405U	R1/4"	1/2-20UNF	25	23	74°	16
33-06U	R3/8"	9/16-18UNF	30	25	74°	20
33-0607U	R3/8"	5/8-18UNF	30	25	74°	20
33-08U	R1/2"	3/4-16UNF	36	29	74°	24
33-0810U	R1/2"	7/8-14UNF	36	32	74°	24
33-12U	R3/4"	1,1/16-12UNF	43	37	74°	30
33-16U	R1"	1,5/16-12UNF	50	41	74°	36
33-04M	R1/4"	M14P1.5	25	24	60°	16
33-06M	R3/8"	M18P1.5	30	28	60°	20
33-08M	R1/2"	M22P1.5	36	33	60°	24
33-0810M	R1/2"	M24P1.5	36	34	60°	30
33-1210M	R3/4"	M24P1.5	43	37	60°	30
33-12M	R3/4"	M30P1.5	43	45	60°	36
33-16M	R1"	M33P1.5	50	48	60°	36
33-04NPT	NPT1/4"	G1/4"	25	24	60°	16
33-06NPT	NPT3/8"	G3/8"	30	27	60°	20
33-08NPT	NPT1/2"	G1/2"	36	32	60°	24
33-12NPT	NPT3/4"	G3/4"	43	36	60°	30
33-16NPT	NPT1"	G1"	50	40	60°	36

品質・性能改善の為、予告なく寸法変更している場合があります。


No.35型特殊アダプター



材質:SS400 (クロメートメッキ)


製品名	T1	T2	A	B	θ	H
35-04U	R1/4"	7/16-20UNF	19	20	74°	16
35-0405U	R1/4"	1/2-20UNF	19	21	74°	16
35-06U	R3/8"	9/16-18UNF	22	22	74°	20
35-0607U	R3/8"	5/8-18UNF	22	22	74°	20
35-08U	R1/2"	3/4-16UNF	27	25	74°	24
35-0810U	R1/2"	7/8-14UNF	27	28	74°	24
35-12U	R3/4"	1,1/16-12UNF	30	32	74°	30
35-16U	R1"	1,5/16-12UNF	34	35	74°	36

No.34型特殊アダプター




製品名	T1	T2	A	B	θ	H
34-04NPT	NPT1/4"	G1/4"	25	21	30°	16
34-06NPT	NPT3/8"	G3/8"	30	25	30°	20
34-08NPT	NPT1/2"	G1/2"	36	30	30°	24
34-12NPT	NPT3/4"	G3/4"	43	35	30°	30
34-16NPT	NPT1"	G1"	50	40	30°	36

ホース接続用特殊アダプター



製品名	T	L	θ	HEX
14-04U	7/16-20UNF	35.0	74°	1 7
14-06U	9/16-18UNF	36.0	74°	1 9
14-08U	3/4-16UNF	44.0	74°	2 2
14-10U	7/8-14UNF	50.0	74°	2 7
14-12U	1,1/16-12UNF	56.0	74°	3 6
14-16U	1,5/16-12UNF	59.0	74°	4 1
14-04M	M14P1.5	41.0	60°	1 9
14-06M	M18P1.5	40.0	60°	1 9
14-08M	M22P1.5	50.0	60°	2 7
14-10M	M24P1.5	56.0	60°	3 2
14-12M	M30P1.5	72.0	60°	3 6
14-16M	M33P1.5	72.0	60°	4 1



製品名	T	L	φA	HEX	Oリング
ORSW-04	9/16-18UNF	28.0	11.15	1 9	AS568-011
ORSW-06	11/16-16UN	30.0	12.73	2 2	AS568-012
ORSW-08	13/16-16UN	35.0	15.9	2 7	AS568-014
ORSW-10	1-14UNS	43.0	19.05	3 2	AS568-016
ORSW-12	1,3/16-12UN	46.0	22.2	3 6	AS568-018
ORSW-16	1,7/16-12UN	49.0	26.95	4 1	AS568-021